

DETAIL A
(SCALE 50:1)


PIN ASSIGNMENT FOR LCM			
PIN NO.	SYMBOL	PIN NO.	SYMBOL
1	NC	26	G1
2	NC	27	G0
3	NC	28	R7
4	NC	29	R6
5	GND	30	R5
6	VCOM	31	R4
7	DVDD	32	R3
8	MODE	33	R2
9	DE	34	R1
10	VS	35	R0
11	HS	36	GND
12	B7	37	DCLK
13	B6	38	GND
14	B5	39	L/R
15	B4	40	U/D
16	B3	41	VGH
17	B2	42	VGL
18	B1	43	AVDD
19	B0	44	RESET
20	G7	45	NC
21	G6	46	VCOM
22	G5	47	DITHB
23	G4	48	GND
24	G3	49	NC
25	G2	50	NC

PIN ASSIGNMENT FOR RTP	
PIN NO.	SYMBOL
1	YU
2	YD
3	XR
4	XL

- NOTES:
1. DISPLAY TYPE: TFT, TRANSMISSIVE, NORMALLY WHITE
 2. OPERATING VOLTAGE: VDD=3.3V
 3. VIEWING DIRECTION: 12 O'CLOCK
 4. IC DRIVER: HX8282-A01+HX8696-A01
 5. OPERATING TEMP: -20°C ~ 70°C
 6. STORAGE TEMP: -30°C ~ 80°C
 7. SURFACE LUMINANCE: 240CD/M²(TYP.)
 8. BACKLIGHT: 24-CHIP WHITE LED, If=260mA, Vf=9.6V
 9. SURFACE TREATMENT: ANTI-GLARE
 10. GENERAL TOLERANCE: ±0.3MM
 11. ROHS COMPLIANT



02	CORRECT THE DIMENSIONS BETWEEN LCD A.A AND LCM O.D. CORRECT THE DIMENSIONS BETWEEN LCD V.A AND LCM O.D.	CAROL	2020.08.26	DRAWN BY:	RITA	2019.09.09		MODULE P/N:	MI1010Z1T-4RP
01	FIRST ISSUE	RITA	2019.09.09	CHECKED BY:				SCALE : 1/1	
VER.	REVISED DESCRIPTION	REVISER	DATE	APPROVED BY:			UNIT: mm	DESCRIPTION:	TFT + RTP MODULE
				VERSION NO:	02		SHEET NO.: 1/2		



MULTI-INNO TECHNOLOGY CO.,LTD.

02	CORRECT THE DIMENSIONS BETWEEN LCD A.A AND LCM O.D. CORRECT THE DIMENSIONS BETWEEN LCD V.A AND LCM O.D.	CAROL	2020.08.26	DRAWN BY:	RITA	2019.09.09		MODULE P/N:
01	FIRST ISSUE	RITA	2019.09.09	CHECKED BY:			SCALE : 1/1	MI1010Z1T-4RP
VER.	REVISED DESCRIPTION	REVISER	DATE	APPROVED BY:			UNIT: mm	DESCRIPTION:
				VERSION NO:	02		SHEET NO.: 2/2	TFT + RTP MODULE