

PIN	DESCRIPTION FOR CN1
PIN	SYMBOL
1	CABC
2	H_GND
3	LANE1_N
4	LANE1_P
5	H_GND
6	LANE0_N
7	LANE0_P
8	H_GND
9	AUX_CH_P
10	AUX_CH_N
11	H_GND
12	LCD_VCC
13	LCD_VCC
14	LCD_SELF_TEST
15	H_GND
16	H_GND
17	ASUSD
18	BL_GND
19	BL_GND
20	BL_GND
21	BL_GND
22	BL_ENABLE
23	BL_PWM
24	NC
25	NC
26	VLED
27	VLED
28	VLED
29	VLED
30	NC


NOTES:

- 1. DISPLAY TYPE: TFT, TRANSMISSIVE, NORMALLY BLACK
- 2. OPERATING VOLTAGE: LCD_VCC=3.3V (TYP.)
- 3. VIEWING DIRECTION: FULL VIEWING ANGLE
- 4. DRIVER IC: -
- 5. OPERATING TEMP.: 0°C ~ 60°C
- 6. STORAGE TEMP.: −20°C ~ 65°C
- 7. LED BACKLIGHT: DOWN EDGE SIDE, 1-LED LIGHTING BAR TYPE BUILT-IN BACKLIGHT DRIVER: VLED=12.0V
- 8. SURFACE LUMINANCE: 400CD/M² (TYP.)
- 9. TOP POLARIZER SURFACE TREATMENT: HC+AG40
- 10. GENERAL TOLERANCE: ±0.5MM
- 11. ROHS COMPLIANT



MULTI-INNO TECHNOLOGY CO., LTD.

				DRAWN BY:	CAROL	2020.08.17	+	MODULE P/N:	
				CHECKED BY:			SCALE : 1/1	MI1260AT-1	
01	FIRST ISSUE	CAROL	2020.08.17	APPROVED BY:			UNIT: mm	DESCRIPTION:	
VER.	REVISED DESCRIPTION	REVISER	DATE	VERSION NO:	01		SHEET NO.: 1/2	TFT MODULE	



Modifi mino inclinonodi co., nib.	MI	MULTI-INNO	TECHNOLOGY	СО.,	LTD.
-----------------------------------	----	------------	------------	------	------

				DRAWN BY:	CAROL	2020.08.17	-⊕-	\rightarrow	MODULE P/N:
				CHECKED BY:			SCALE :	1/1	MI1260AT-1
01	FIRST ISSUE	CAROL	2020.08.17	APPROVED BY:			UNIT:	mm	DESCRIPTION:
VER.	REVISED DESCRIPTION	REVISER	DATE	VERSION NO:	01		SHEET N	NO.: 2/2	TFT MODULE